

CHRYSLER GROUP LLC

EXECUTIVE ORDER A-009-1143 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 2

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

YEA	R	T GROU		(PC=passenger car; LDT=light-du MDV=medium-duty vehicle; LVW- vehicle weight; GVW=gross \ PC	=loaded (LEV-III) /W)	ow emission vehicle; TLEV- ional LEV; ULEV-ultra LEV; SULEV-super ULEV) USEPA Bin 4	(miles)	(CNG/LNO=compressed/ liquefied natural gas; LPG=liquefied petroleum gas) Flexible Fuel: Ethanol (E85) / Gasoline (Tier2 Unleaded)						
201	CCR	CCRXV03.6UPA		10	Count	ted as ARB LEV II ULEV		7 Gasonine (Tierz Bineaded)						
No.		EVAPORATIVE FAMILY (EVAF)		SPECIAL FEAT EMISSION CONTROLS		* = not applicable	OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TWC WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaus							
1	CCRXR014	CRXR0145PKA		2TWC, 2	HO2S(2), SFI, OB	recirculation AIR/PAIR=se	econdary air injection/pulsed AIR							
2	*	* *			*	District and the	MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series							
3	*				*	1481 A (17-11)								
4	*			The Carrier Facial Suits	*	Z-parallel (Z) Sullix-Series								
EVA		ECS ENGIN No. SIZE (L		VEHICLE MAKES & MODELS	MAKES & MODELS STANDARDS ARE		ABBREVIATIONS:							
No.					Chrysler 300 RWD, Dodge Charger RWD									

The exhaust and evaporative emission standards (STD), as requested by the manufacturer, and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

AVERAGE [g/mi]		NMOG @ RAF=* CH4 RAF = *		NMOG or	nitrogen diumal+ho	HCHO=form	naldehyde [g/mi]=runi	PM=parti	oRVR	matter [g/gallor	H4 hydrocarl RAF=reactivi dispensed]=	on-board ref	t factor 2/	r recovery	g=gram
CERT	STD	NMOG CERT	NMHC CERT	STD [g/mi]			1	1000 miles F NOx [g/mi]		=degrees Fahrenheit HCHO [mg/mi]		SFTP=supplemental fed PM [g/mi]		Hwy NOx [g/mi]	
0.034	0.035	[g/mi]	[g/mi]		CERT	STD	CERT	STE		CERT	STD	CERT	STD	CERT	STD
	@ 50K	*	*	*		*	*	*		*	*	*	*	*	*
	@ UL	0.060 (0.036)	•	0.070 (0.070)	0.8 (1.0)	2.1 (2.1)	0.003		0.0	1 (*)	11 (11)	* (*)	0.01 (0.01)	0.002 (0.01)	0.05 (0.05)
6	0 50°F & 4K	(0.030)		*	*	*	*	*		*	*	*	*	*	*
CO [g/mi] SFTP 1 = @ 4K (SULEV, ULEV,			NMHC+NO				NMHC+NC [g/mi] [USC				NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]		
		(V) or 50K (Tier 1, TLEV) = @ UL (Tier 1, TLEV)		CERT	STD	CERT	STD	CERT	STE		RT STE	CERT	STD	CERT	STD
ERT (1.5		SETE	@ 4K	*	*	*	*	(0.03)	(0.14	4) (0	.3) (8.0	(0.06)	(0.20)	(1.1)	(2.7)
STD *		SFTE	@ UL	(0.05)	(0.63)	*	*	*	*	(0	.3) (11.	*	*	(1.1)	(3.7)
EVAPORATIVE FAMILY 1					EVAPORATIVE FAMILY 2			EVAPORATIVE FAMILY 3			EVAPORATIVE FAMILY 4				
@ UL 3	-D 2-D		ORVR	3-D	2-D		ORVR	3-D	2-D	R	L ORVI	3-D	2-D	RL	ORVR
	.46 0.58		(0.13)	*	*	*	*	*	*	*	*	*	*	*	*
	.50 0.65		(0.20)	*	*	*	*	*	* ,	*	*	*	*	*	*

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

CHRYSLER GROUP LLC

EXECUTIVE ORDER A-009-1143
New Passenger Cars, Light-Duty Trucks
and Medium-Duty Vehicles
Page 2 of 2

BE IT FURTHER RESOLVED: The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended March 29, 2010 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(iii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volume-manufacturer,

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of July 2011

Annette Hebert, Chief

Mobile Source Operations Division