

VOLKSWAGEN GROUP OF AMERICA, INC. Executive Order: A-413-0128-2 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	OUP INFO	RMATION	1					
MODE YEAR	_	EST GROUP		VEHIC	LE CLASS(E	S)	FUEL CATEGORY				FUEL TYPE		
2019	KV	GAJ02.0A3A	LDT2, PC					DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
	USEFUL	LIFE (miles)		VEH	ICLE EMISS	SION CAT	EGORY	MEDIATE IN-USE STD					
EXH	/ORVR	EVAP			FTP	S	FTP		FTP		SFTP		
. 15	0000	150000		LEV3	SULEV30	LEV 3	COMPOSIT	re	*		PM		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS OBD STATUS (L)										NGINE DISPLACEMENT (L)			
1 WU-TWC, TWC, WR-HO2S, HO2S, DFI, TC, CAC, FULL *													
*	* * PARTIAL								ALL MODELS 2.0				
*	* * PARTIAL WITH * FINES							а					
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION													
EVA	P / ORVI	R FAMILY	EVA	PORATIVE	STD CATE	GORY			SSION STD E CLASS	S	PECIAL FEATURES		
K	WGAR01	10ABB		LEV 2				PC			*		
ĸ	WGAR01	35ACT	LE	V 3 OPTI	ON2 WITH	FEL	LDT2				*		
				i	EMISSION C	REDIT IN	FORMATI	ON					
	EDIT FO	X FLEET AVE. R EXTENDED RANTY		a second s	EDIT FOR N ZERO-EVAP	OR NON-PZEV NMOG CREDIT FOR DOP			R	OPTIONAL EXH. STD FOR WORK TRUCKS			
		N			N				N		N		
				NMOG	AND FLEE	T AVERA	GE INFOR	RMA	ΓΙΟΝ				
NMOG RAF	CH4 RAF RAF RATIO CH4 RATIO FC+LDT (0-3750 L (g/mi)				0-3750 L	/W) L			)	D NMOG+NOX FLEET STD MDV (10,001-14,000 GVWR) (g/mi)			
*	*	1.10		0.03	C	0.072			0.083		*		
0	A 11 1	10 111	1				· D'	1		0	ntrol Systems Dhase		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



VOLKSWAGEN GROUP OF AMERICA, INC.

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

### BE IT FURTHER RESOLVED:

Evaporative family KVGAR0110ABB is certified pursuant to 13 CCR Section 1976(b)(1)(G)3 and deemed to comply with the requirements of 13 CCR Section 1976(b)(1)(G)1 ["LEV III evaporative requirements"].

This Executive Order hereby supersedes Executive Order A-413-0128-1 dated November 20, 2018.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_ day of January 2019.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division



FUEL TYPE

VOLKSWAGEN GROUP OF AMERICA, INC. Executive Order: A-413-0128-2 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

0.71

10.0

A.	TΤ	Ά	С	Η	Μ	E	Ν	Т

# EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

## EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			NMOG (g/i		CO (g/mi)			Ox mi)		HCHO (mg/mi)		M mi)	
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	
FTP@50K		*	*	*	*	*	*	*	*	*	*	*	
FTP@UL		SOLINE- R3 E10	0.0184	0.030	0.12	1.0	*	*	*	4	0.0010	0.003	
50°F @4K		SOLINE- R3 E10	0.0269	0.060	0.27	1.0	*	*	0.4	8		1	
	al et an				E		N	NMOG+NOx (g/mi)			CO (g/mi)		
			FUEL TYPE						STD	CER	т	STD	
HWFET @	) 50K			*					*	46			
HWFET @	DU		GASOI	INE-TIE	R3 E10		0.0	053	0.030	Regist			

20°F @ 50K

### SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

GASOLINE-TIER3 E10

						Liniooron						-					
						US06			SC03	3		CON	IPOSITE				
19 4 - AM	FUEL TY	PE	Sec.	NMO	OG+NOx	СО	P	M N	MOG+NOx	со	NMO	OG+NOx	со	PM			
				(	(g/mi)	(g/mi)	(mg	J/mi)	(g/mi)	(g/mi)	(	g/mi)	(g/mi)	(mg/mi)			
@ 4K	@ 4K *		CERT	*		*			*	*							
			STD		*	*		100	*	*			0.79 *				
			CERT		*	*	3	. 0	*	*	0	.0138	0.79	*			
@ UL	GASOLIN TIER3 E	I STD		*		*		6	*		0.090		4.2	*			
			BIN				$= - \phi r$				0	0.040					
		WHO	OLE VE	HICL	E EVAPĊ	RATIVE E	MISSION	STAND	ARDS AND	CERTIFIC	ΑΤΙΟΙ	N LEVELS	;				
						WHOLE \	/EHICLE	EVAPO	RATIVE TES	TING							
	EVAPORATIVE FAMILY		FUEL TYPE		JEL TYPE 3DH			6 (g/test) @	ÐUL		2DHS (g/test	IS (g/test) @ UL			(g/mi) @	i) @ UL	
					CERT	STD	FEL	CERT	STD	FEI		CERT		STD			
KVGAF	R0110ABB		SOLIN		0.274	0.35	*	0.251	1 0.35	*		0.000		0.05			
KVGAF	R0135ACT		ASOLIN IER3 E		0.3230	0.400	0.350	0.245	0 0.400	0.3	50	0.000		0.05			

	CALIF	RCES B	DARD	VOLKSWA OF AME		Executive Order: A-413-0128-2 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4						
ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS												
		÷			FUEL ONLY EVAP & CANISTER BLEED							
EVAPORATIVE	FAMILY FUEL TYPE (g/test) @ UL (g/test) @			ANISTER est) @ 4K								
FAMILY		CEPT	STD	FUEL TYPE				T STD CERT STD   0.0 * * *   * 0.006 0.020   EVEL (INCHES) STD   0.02     0.02        0.02               0.02				
	GASOLINE ·		310									
KVGAR0110ABB	TIER 2 UNLEADED	0.014	0.20	GASOLINE - CA PHASE 2	0.03	0.0	. *	0.0	*	* .		
KVGAR0135ACT	GASOLINE- TIER3 E10	0.021	0.20	GASOLINE- TIER3 E10	*	*	*	*		0.020		
E	EFFECTIVE	LEAK D	IAMET	ER STANDAR	RD AND CE	RTIFICA	TION LEV	/EL (INCH	ies)			
EVAPORATIVE	EVAPORATIVE FAMILY				Y CERT STD							
KVGAR0135	ACT	KVGAR0	135ACT	-001	1	*			0.02			
LDT<6000#GVWF 8500#ALVW; MD	R,3751-5750# /: medium-du hicle; HDV: h WR: gross ve SULEV: supe ing TWC; HA SCRC-NH3: s ic trap oxidize nsor; WR-HO quality sensor ction (belt driv injection; TC/ gnostic; DOR S/LNG: compro- ble transmiss I-selectable t icle; NMOG -	fLVW; LD <sup>-</sup> ity vehicle; iteavy-duty shicle weig r ULEV; Z C: HC ads selective c: er; DPF: di /2S or AFS r; NH3S: a ven)/(elect /SC: turbo (SC: turbo &: direct oz ressed/liqu obine) fuel; sion; SCV:	T3: LDT MDV4: vehicle ht rating EV: zerc orbing c atalytic r esel par 5: wide r mmonia ric drive /super c one red uefied na A: autor selectal pp: OT o	6001-8500#GV MDV 8501-100 ; ECS: emissior ;; LVW: loaded -emission vehic eduction-urea/a ticulate filter (ac ange/linear/hea a sensor; EGR: n); PAIR: pulse harger; CAC: ch ucing; HCT: hyc atural gas; LPG natic (with lock oble continuously other transmissi	VR,3751-57 00#GVWR; control syst vehicle weig cle; TZEV: tr irm-up cataly mmonia; NH tive); GPF: I ted air-fuel r exhaust gas d AIR; SFI/M harge air coo rocarbon tra liquefied pe up); M: manu variable tra on: AER; all-	MDV5: MD tem; CERT: ht; ALVW: a ansitional Z yst; NAC: N 13OC: amm PM filter for atio sensor recirculatio IFI: sequen oler; FFH: fu ap; BCAN: I stroleum ga al transmis nsmission; -electric rar	V 10001-11 c certificatio ZEV; TWC/ IOx adsorp nonia oxida spark-igni ; NOXS: N n; EGRC: tial/multipoc jel fired he pleed carbo s; E85: "85 sision; SA: 9 AM: autom pde; EAER	4000#GVW 4000#GVW on; STD: sta VW; LEV: lo OC: 3-way/ otion catalys ted engine; Ox sensor; EGR coole ort fuel injec ater; F/P/\$: on canister; 5%" ethanol semi-autom nated manu : equivalent	/R; MDPV: andard; FEI bw emissior /oxidizing ca st; SCR-U o st; CTOX/P' HO2S/O2S PMS: PM s r; AIR/AIRE tion; DFI/IF full/partial/ prefix 2: pa ("15%"gas natic transmis t AER; PHE	.: family : family n vehicle; atalyst; r TOX: :: :: partial with arallel; (2) oline) fuel; ission; CV sion; AMS		
	2019 N		YEA	R: VEHIC	LE MO	DELS I	NFOR	ΜΑΤΙΟ	N			
										1		

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
AUDI	A3	PC	2.0	AMS7	KVGAR0110ABB	1	P
AUDI	A3 CABRIOLET	PC	2.0	AMS7	KVGAR0110ABB	1	P
AUDI	A3 CABRIOLET QUATTRO	PC	2.0	AMS7	KVGAR0110ABB	1	P
AUDI	A3 QUATTRO	PC	2.0	AMS7	KVGAR0110ABB	1	P
AUDI	TT COUPE QUATTRO	PC	2.0	AMS7	KVGAR0110ABB	1	P
AUDI	TT ROADSTER QUATTRO	PC	2.0	AMS7	KVGAR0110ABB	1	P
VOLKSWAGEN	GTI	PC	2.0	AMS7	KVGAR0110ABB	1	P
VOLKSWAGEN	GTI	PC	2.0	M6	KVGAR0110ABB	1	P
VOLKSWAGEN	JETTA GLI	PC	2.0	AMS7	KVGAR0110ABB	1	P
VOLKSWAGEN	JETTA GLI	PC	2.0	M6	KVGAR0110ABB	1	P
VOLKSWAGEN	TIGUAN	LDT2	2.0	SA8	KVGAR0135ACT	1	P
VOLKSWAGEN	TIGUAN 4MOTION	LDT2	2.0	SA8	KVGAR0135ACT	1	P