

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
HITACHI-KOKI USA, LTD.	F7T7S.0214BD (U-U-176-0185)	21	Gasoline
TBC = To Be Certified S.A. = See Attachment			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK SIZE (liters)	EQUIPMENT APPLICATION
2015	F7T7S.0214BD	0.321, 0.463, 0.667	Line Trimmer, Brushcutter
EMISSION CONTROL SYSTEMS		ENGINE and/or EQUIPMENT MODEL(S)	
C		See Attachment	
LOW PERMEATION TANK TYPE: 1) M = Metal Tank 2) C = Coextruded Multilayer Tank 3) N = Structurally Integrated Nylon Tank 4) Other (specify)			

BE IT FURTHER RESOLVED: That the listed equipment is not subject to the evaporative emission standards in 13 CCR Sections 2755 for the aforementioned model-year pursuant to 13 CCR Section 2766(a) (exemption for low permeation tanks).

This Executive Order is only granted to the equipment models and model-year listed above. Equipment that is produced for any other model-year is not covered by this Executive Order.

Executed at El Monte, California on this 24th day of November 2014.


 Annette Hebert, Chief
 Emissions Compliance, Automotive Regulations and Science Division

RC2 9/17/15

ATTACHMENT P5 1 of 2
Supplementary Information

U-U-176-0186

MODEL SUMMARY (Use an asterisk (*) to identify "worst-case" engine or equipment model used for certification testing.)

17. Worst Case	18. Engine or Equipment Model	19. Sales Codes (Check all appropriate)			20. Fuel Tank Vol. (liters)	21. Fuel Tank Internal Surf. Area (m ²)
		Calif. Only	49- State	50-State		
X	TCG22EAS			X	0.667	0.578
X	CG22EAS			X	0.667	0.578
X	CG22EAB			X	0.667	0.578
X	CG22EAD			X	0.667	0.578
X	TCG22EAB			X	0.667	0.578
X	TCG22EAD			X	0.667	0.578
	CH22EAP			X	0.321	0.114
	CH22EBP			X	0.321	0.114
	CH22ECP			X	0.321	0.114
	TCH22EAP			X	0.321	0.114
	TCH22EBP			X	0.321	0.114
	TCH22ECP			X	0.321	0.114
	CH22EPAP(S)			X	0.463	0.425
	TCH22EPAP(S)			X	0.463	0.425
	CH22EPAP(SM)			X	0.463	0.425
	TCH22EPAP(SM)			X	0.463	0.425
	CH22EAP2			X	0.321	0.114
	CH22EBP2			X	0.321	0.114
	TCH22EBP2			X	0.321	0.114
	TCH22ECP2			X	0.321	0.114
	CH22ECP2			X	0.321	0.114

	CH22ECP2			X	0.321	0.114
	TCH22EAP2			X	0.321	0.114
X	CG22EAP2			X	0.667	0.578
X	TCG22EAP2			X	0.667	0.578