State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-420 Relating to Certification of New Heavy-Duty Motor Vehicle Engines

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100,43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following General Motors Corporation 1988 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Engine Family	Displacement <u>Liters (Cubic Inches)</u>		Exhaust Emission Control Systems (Special Features)		
JGM0426FWF1	7.0	(426)	Smoke Puff Limiter (Diesel Injection - Direct) (Turbocharger) (Intercooler)		

Engine models and codes are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons gm/bhb-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhb-hr_	Particulates gm/bhb-hr
1.3	15.5	6.0	0.60

The following are the certification emission values for this engine family:

	Uvdragerbana	Carbon Monoxide	Mitrogen Ovideo	Danklaulakaa	
Engine Family	Hydrocarbons _gm/bhp-hr	gm/bhb-hr	Nitrogen Oxides gm/bhp-hr	Particulates gm/bhp-hr	
JGM0426FWF1	0.7	4.2	5.5	0.59	

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23 day of December, 1987.

K. D. Drachand, Chief

Mobile Source Division

17-JGM0426FWF1-15A

(For CARB Use Only)

(1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY DIESEL ENGINES

Manufacturer: General Motors Corporation

Executive Order No.: A-6-420

Engine Family: JGM0426FWF1

Liter (CID): 7.0 (426)

Exhaust Emission Control System: Throttle Delay, (IC),(TC),(DID)

						
ENG MODEL	FUEL INJECTION PUMP MFR PART NO.	INJECTOR MFR PART NO.	MAXIMUM RATED HP AT RPM	FUEL RATE mm3/STROKE (LBS/HR)	MAXIMUM RATED TORQUE AT RPM	FUEL RATE mm3/STROKE (LBS/HR)
6L-71TA-JWA(C NA	7G70 5229900	250@2100	74.6 (104.2)	730@1200	86.0 (68.6)
r		7G75 5229905	270@2100	80.0 (111.7)	788@1200	91.6 (73.1)
		7G75 5229905	285@2100	81.0 (113.1)	850@1200	91.4 (72.9)
-		7G75 5229905	264@1800	84.0 (100.6)	850@1200	91.4 (72.9)
		7G70 5229900	265@2100	74.9 (104.7)	792@1200	85.2 (68.0)
		7G70 5229900	245@1800	78.1 (93.5)	79201200	85.2 (68.0)
		7G75CP 5229905	230@1950 Min.	69.0 (89.5)	850@1200	91.4 (72.9)

*SSUED: 005

REV. NO.:

0313T/28T