## State of California AIR RESOURCES BOARD

## **EXECUTIVE ORDER A-10-920**

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

## FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2000 model-year Ford Motor Company Otto-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Gasoline

Engine Family	Engine Displace Liters (Cubic	
YFMXH05.4CF5	5.4 (32	26) Sequential Multiport Fuel Injection Dual Heated Oxygen Sensors Heated Oxygen Sensor Three Way Catalytic Converter

Engine models and codes are listed on attachments.

The certification exhaust emission standards for this engine family in grams per brake horsepower-hour are:

Total Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen Oxides
1.9	37.1	4.0

The certification exhaust emission values for this engine family in grams per brake horsepower-hour are:

Total	Carbon	Nitrogen
Hydrocarbons	Monoxide	Oxides
0.1	2.2	1.0

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.)

BE IT FURTHER RESOLVED: That the listed engine models comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Sections 1965.)

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this \_\_\_\_\_\_ day of August 1999.

R. B. Summerfield, Chief

Mobile Source Operations Division

## E.O. # A - 10 - 920 2000 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY DUTY OTTO-CYCLE ENGINES

Manufacturer. Fo	Manufacturer. Ford Motor Company		Engine Family: YFMXH05.4CF5				
Displacement:	5.4L / Liter	326/	Cubic Inches	3			
All Eng Codes in Eng Family: CA49S_X_50S_X_							
Fuel Type(s):	Fuel Type(s): Dedicated_X Flex Fuel_ Dual-Fuel_ Bi-Fuel_ Gasoline X CNG_						
	LNG_ LPG_ M85_ M100_ Other (specify)						
Maximum Rated F	Maximum Rated Power: 255_HP @ 4500_RPM E-Series Engine Configuration V8						
Exhaust Control System and Special Features TWC, 2HO2S, SFI, HO2S (Use abbreviations per SAE J1930 SEP91)							
Engine Model	lgn. System or PCM	Fuel System	Catalyst				
(Engine Code)	OI F CIVI	Injtr					
	Part No. -12A650-	Part No. -9F593-	Part No. -5E212-				
0E414N0A05	YC2F-PB	FOTE-DB	YC25-GA3				
0E414Y0505	YC2F-ASB	14	н				
			•				

Engine Family: YFMXH05,4CF5

Issued: 7-7-99 Revised: 8-3-99

Comments: