State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-218

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

DAIMLERCHRYSLER AG

Pursuant to the authority vested in the Air Resources Board at Sections 43100, 43101, and 43102 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following engine and emission control system produced by the manufacturer are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Model Year: 2001

Fuel Type: Diesel

Engine Family	•	lacement <u>Cubic Inches</u>	Exhaust Emission Control Systems and Special Features
1MBXH4.25DJA	/IBXH4.25DJA 4.2 254		Turbocharger Charge Air Cooler Electronic Control Module Direct Diesel Injection

Engine models and codes are listed on attachments.

BE IT ORDERED AND RESOLVED: That the following are the certification exhaust emission standards (Title 13, California Code of Regulations, Section 1956.8) and certification exhaust emission values for this engine family in grams per brake horsepower-hour under the Federal Test Procedure ("FTP"):

	Total <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen Oxides	Particulate <u>Matter</u>
Standard	1.3	15.5	4.0	0.10
Certification	0.5	1.4	3.9	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this __

/ /) Mm/

R. B. Summerfield, Chief Mobile Source Operations Division

day of January 2001.

A-3-218		8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	50.7	50.7 TC, ECM, CAC	DDI, TC, FCM, CAC 40.6 1 TC, ECM, CAC	37.5 TC, ECM, CAC
Process Code: New Submission	AN	7.Fuel Rate: m/stroke@peak torque	confidence de compositor con citien de cas des tentes de constructions au compositor de compositor de construction de construc	153	123	113
	Family Name:	6.Torque @ RPM (SEA Gross)	68.1 520 @ 1500	520 @ 1500	420 @ 1500	380 @ 1500
	Manufacturer Family Name:	5.Fuel Kate: (lbs/hr) @ peak HP (for diesels only)	68.1	66.1	61.0	54.3
	A First Date.	mm/stroke @ peak HP (for diesel only)	134	130	120	107
Manufacturer: DaimlerChrysler AG	25DJA	3.BHP@RPM (SAE Gross)	190 @ 2300	180@ 2300	170@ 2300	150@ 2300
	EPA Engine Family: 1MBXH4.25DJA	1. Engine Code 2. Engine Model (SAE Gross) (for diesel on	OM 904 LA	OM 904 LA	OM 904 LA	OM 904 LA
	EPA Engine Fan	1.Engine Code		=	=	≥