

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-524
Relating to Certification of New Heavy-Duty Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43835 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Ford Motor Company 1993 model-year motor vehicles which have a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds are certified using the Otto-cycle engine listed below:

<u>Engine Manufacturer</u>	<u>Engine Family</u>	<u>Displacement Liters (Cubic Inches)</u>		<u>Engine Model Year and Certification Executive Order No.</u>	
Ford	PFM07.0BGA4	7.0	(429)	1993	A-10-523

The following are the certification emission standards for this engine family in grams per brake-horsepower-hour:

<u>Total Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
1.9	37.1	5.0

The following are the certification emission values for this engine family in grams per brake-horsepower-hour:

<u>Engine Family</u>	<u>Total Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
PFM07.0BGA4	1.2	21.5	4.4

BE IT FURTHER RESOLVED: That 1993 model-year vehicle models listed on the attached sheet also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et. seq.).

Engines certified under the Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this th 10 day of June, 1992.


R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Ford Motor Company Engine Family PFM07.OBGA4 (P7.0A)
 Evaporative Family HR Engine Type V-8
 Liters (CID) 7.0L (429)

ABBREVIATIONS:

<u>Ignition System</u>	<u>Exhaust Emissions Control System</u>	<u>Fuel System</u>
DLI-Distributorless Ignition	AIR-Secondary Air Injection	DI-Direct Injection (Diesel)
EI-Electronic Ignition	ECTS-Engine Coolant Temp Sensor	EIC-Electronic Injection Control (Diesel)
PCME-Powertrain Control Module	EGR-Exhaust Gas Recirculation	IC-Intercooler or Aftercooler
	EM-Engine Modification	IDI-Indirect Diesel Injection
	HO2S-Heated Oxygen Sensor	MPI-Multipoint Electronic Fuel Injection
	KS-Knock Sensor	SC-Supercharged
	MAP-Manifold Absolute Pressure Sensor	SMPI-Sequential Multipoint Electronic Fuel Injection
	OC-Oxidation Catalyst	TAA-Turbocharged, Air to Air (Diesel)
	O2S-Oxygen Sensor	TAW-Turbocharged, Air to Air to Water (Diesel)
	SABV-Secondary Air Bypass Valve	TBI-Throttle Body Electronic Fuel Injection
	SASV-Secondary Air Switching Valve	
	SPL-Smoke Puff Limiter	
	TOC-Trap Oxidizer: Continuous	
	TOP-Trap Oxidizer: Periodic	
	TPS-Throttle Position Sensor	
	TWC-Three Way Catalyst	
	TWC+OC-Three Way Catalyst Plus Oxidation Catalyst	
	WUOC-Warm Up Oxidation Catalyst	
	WUTWC-Warm Up Three Way Catalyst	

Special Features

MIL-Malfunction Indicator Light
 OBD-On Board Diagnostics

VEHICLE MODELS: F600, F700, F800

Engine: Front XXX Mid Rear
 Drive: FWD RWD XXX 4WD Full Time 4WD Part Time

Engine Family: P7.0A

Issue Date	4-24-92	20.09.17.02-2					
Revised							

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: Ford Motor Company

Executive Order: A-10-524

<u>Vehicle Models</u>	<u>Fuel Tanks - gallons</u>	
	<u>Single Tank</u>	<u>Dual Tank</u>
F-600, F-700, F-800	50 or 35	50+50
	60 (a)	35+35
		35+50
	50LP (b)	50+50LP (b)
		35+50LP
		50LP+50LP

(a) 49-State DSO Installation Only
 (b) 50LP denotes 50 Gal. Low Profile

Evaporative Emission Families

Evap Family: HR Evap Calibration: HR-04-HD-R00

Engine Family: P7.0A

Issue Date	4-24-92	20.09.17.02-3					
Revised							