(Page 1 of 2)

## State of California AIR RESOURCES BOARD

## **EXECUTIVE ORDER U-R-8-2**

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

NEW HOLLAND U.K. LTD.

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and,

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following New Holland U.K. LTD. 1997 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Agricultural Tractor, Combine

Fuel Type: Diesel

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
VNH7.5R6DARA	7.5	(456)	Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

<u>Exhaust</u>	<u>Emissi</u>	ons (g/l	ohp-hp)	<u>Smoke</u>	Opaciity	_(%)
<u>THC</u>	<u>co</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

Exhaust Emissions (q/bhp-hr)				Smoke (	Smoke Opacity (%)		
Engine Family	<u>THC</u>	<u>co</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Luq	<u>Peak</u>
VNH7.5R6DARA	0.4	0.7	6.0	0.2	6	8	13

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model vear.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 19 day of December 1996.

R. B. Summerfield, Chief

Mobile Source Operations Division

## 199<u>7</u> AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY OFF-ROAD DIESEL ENGINES

Page <u>1</u> of <u>2</u>

Manufacturer_	New Holland	U.K. Ltd	Engi	ne Family V	NH7.5R6DAF	RA		
Displacement:	7.480	<u>456</u> L	iters/Cubic In	iches Eng	Confia: I-	-6/OHV		
All Codes in	Eng Fam: CA	49S 50S_X	X Cert	: Test Proced	ures: ARB	FPA YY		
Valves/Ports	per Cylinder	2 valves/cyl	Stro	okes per Comb	ustion Cvcl	e 4-stroke		
Maximum Rated	Power:	277	HP ( 207	KW)	@ 220	n DDM		
Ignition: Co	mpression xx	Comp	ression with 6	Slow Plug		Snark		
Fuel Type(s):	Dedicated XX	Flex-Fuel_	Dual-Fuel	Die	— Salvy Mid	אניציייים איניארכ		
•• ( )	CNG II	NG LPG	Other (sne		Jei <u>xx</u> Mic	70 <u></u> 1183 <u></u>		
Diesel Cert F	uel: 40 CFR 8	36.1313-94 <u>XX</u>	Other (spe					
Primary Servi	ce Equipment:	Agricultural	Tractor (VA	VR VH VT)	Combine (	7T 17N 17 17N		
Exhaust ECS (	e.g. MFI. TC.	CAC): EM TO	CAC	<u> </u>	COMPTHE (	VP,VR)		
`		CAC): EM.TC.	(use abbreviat	ions per SAE	J1930 JUN	93)		
Fuel Rate Fuel Pump   FCO   DIOY /								
Engine Model (Eng Code)	Rated HP 0 RPM	@ <sub>3</sub> Rated HP mm / stroke (1bs/hr)	& Injector Part No.	ECM/PCM Part No.	Valve Part No.	Catalytic		
675TA/VB	260 @ 2100	130	87800844/ 81876871	N/A	N/A	N/A		
675TA/VH	196 @ 2100	105	87800862/ 87841116	N/A	N/A	N/A		
675TA/VA	226 @ 2100	114	87800845/ 81876871	N/A	N/A	N/A		
675TA/VL	277 @ 2200	137	87800860/ 87840446	N/A	N/A	N/A		
675TA/VM	206 @ 2100	107.5	87800861/ 87841116	N/A	N/A	N/A		
675TA/VT	176 @ 2100	94	87800972/ 87841116	N/A	N/A	N/A		
675TA/VJ	226 @ 2100	111.5	87800876/ 87840446	N/A	N/A	N/A		
S75TA/VN	277 @ 2100	141.5	87801154/ 87840446	N/A	N/A	й∖∀		
675TA/VP	261 @ 2100	129.5	87800882/ 87840446	N/A	N/A	N/A		
675TA/VR	206 🕸 2100	107.5	87800861/	N/A	N/A	N/A		