## State of California Air Resources Board

## EXECUTIVE ORDER A-17-33 Relating to Certification of New Motor Vehicles

## AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems for 1977 model-year passenger cars are certified for the engine family described below:

Engine Family: II-C

Engine: 304 CID
Transmission: 3-Speed Automatic

Exhaust Emissions Control Systems: Air Injection, Exhaust Gas Recirculation,

Oxidation Catalyst

Models: Matador 2-Door

Matador 4-Door Matador Wagon

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1977 model vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
II-C	0.34	4.8	1.0

BE IT FURTHER RESOLVED: That this certification is contingent upon American Motors Corporation affixing a permanent catalyst overheat warning label on the driver's sun-visor of all catalyst-equipped vehicles. This label must be approved by the Executive Officer.

BE IT FURTHER RESOLVED: That this certification is also contingent upon American Motors Corporation listing in the owner's manual the operating cautions associated with a catalyst-equipped vehicle. This listing must be approved by the Executive Officer.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this \_\_\_\_\_\_ day of August, 1976.

G. C. Hass, Chief

S. D. Mim

Division of Vehicle Emissions Control

,	TIP/7 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  X Passenger Cars Light-Duty Trucks										
•	Manufacturer AMERICAN MOTORS CORPORATION Executive Order No. A-17-33 Page 1 of 1  Engine DAC-3Q-1 &  Engine Family II-C Engine (CID) 304 Code DAC-30B-1										
_	Emission Control System					)_304					
	Vehicle Models (If Coded see attachment)	Trans		Type : EI, C, V, TCSA Mfgr.	Fuel System Type: 1-2V Mfgr. Part Number	EGR System: Backpressure Sensitive Part No. Service*					
	Matador	A/T3 (3.15 rear axle ratio)	4500	3228264, which is IDJ-4001G or 3231177	Motorcraft 7RA2C	G61665  (EGR Valve-  Backpressure	(2) 20 RPM Lean Drop				
	Comments					<u>.</u>					
	Date of Issue: August 11, 1976  12 May, 1977, R/C 77-16C adds RFI supressing distributor										
C	Abbreviations  Distributor C-Centrifugal Advance V-Vacuum Advance  Distributor CAI-Catalyst Air Injection  TCSA-Transmission Controlled Spark Advance OC-Oxidation Catalyst PAI-Pulse Air Injection										

Abbreviations

Distributor
C-Centrifugal Advance
V-Vacuum Advance
YR-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emission Control System
AI-Air Injection
CAI-Catalyst Air Injection
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

Spark Advance
OC-Oxidation Catalyst
PAI-Pulse Air Injection
RC-Reduction Catalyst
TR-Thermal Reactor
TWC-Three Way Catalyst
λ-Air Fuel Ratio Sensor
\*Service
I-Inspect, repair/replace
as needed
R-Replace