

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-25
Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for 1981 model-year gasoline-powered light-duty trucks.

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
BMT2.6T2BC1	155.92 (2.56)	Oxidation Catalyst, Air Injection-Valve, Exhaust Gas Recirculation, Combustion Chamber Valve

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1981 model-year vehicles:

<u>Engine Family</u>	<u>Equiv. Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
BMT2.6T2BC1	0-3999	0.16	3.8	0.7

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles", amended June 26, 1980.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Mitsubishi Motors Corporation has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 8th day of August, 1980.


K. D. Drachand, Chief
Mobile Source Control Division

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Mitsubishi Motors Corp. Executive Order No. A-86-25 Page 1 of 2.

Engine Family BMT2.6T2BC1 Evaporative Family BMT2.6TC

ABBREVIATIONS

Engine CID (Liters) 155.92 (2.56 litre)

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 TR-Thermal Reactor
 TWC-Three Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection
 DI-Diesel Injection
 EFI-Electronic Fuel Injection
 MFI-Mechanical Fuel Injection
 TC-Turbocharged

Fuel System

CFI, DI, EFI, MFI
 nV-nVenturi Carburetor
 VV-Variable Venturi

Model

9JH4

9JP4

0JH4

0JP4

Evap Family

BMT2.6TC

Truckline

Dodge RAM50 Royal

Dodge RAM50 Sport, and
 Dodge RAM50 Bighorn

Plymouth Arrow Custom

Plymouth Arrow Sport

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel

Manufacturer MITSUBISHI MOTORS CORPORATION

Page 2 of 2.

Engine Family BMT2.6T2BC1

Engine Code 2.6TC-M, A2.6TC-M
2.6TC-A, & A2.6TC-A

ECS (Special Features) OC + EGR + AIV + CCV

CID (Liter)-155.92 (2.56) ~~F-4~~
Type _____

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System EI,CA,VA Part No.	Fuel System 1-2V Part No.	EGR Valve (2 of them) Part No.	Label Ident. Part No.
2.6TC-M & A2.6TC-M	9JH4 9JP4 OJH4 OJP4	5-Speed Manual	3000 lb	T4T6 2075	32-35DID TA-56	K5T5 0998 ("Dual EGR Control Valve") "Sub EGR Control Valve" is a sub- assembly of the carbure- tor.	MD034303 (Tune-up Label) MD034313 (Vacuum Hose Routing)
2.6TC-A A2.6TC-A		Auto- matic (3- speed)			32-35DID TA-57		MD034303 (Tune-up label) MD034314 (Vacuum Hose Routing)

Comments: See page one for abbreviations and evaporative emission family identification.

11.4 is the correct total dyno test total HP setting for all models.

Date of Issue - 7 August 1980