(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-237-6 Relating to Certification of New Motor Vehicles

ZIMMER MOTOR COACH CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Zimmer Motor Coach Corporation exhaust emission control systems are certified as described below for gasoline-powered medium-duty vehicles:

Engine Family	Displacement <u>Cubic Inches (Liters)</u>		Exhaust Emission Control Systems (Special Features)		
GZM2.6T6FXX6	159	(2.6)	Three-Way Catalyst with Closed Loop (Mechanical Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent

Inertia	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Weight	Grams per Mile	<u>Grams per Mile</u>	<u>Grams per mile</u>	
6000 & larger	0.60	9.0	1.5	

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
6000 & larger	0.42	2.9	0.8

ZIMMER MOTOR COACH CORPORATION

EXECUTIVE ORDER A-237-6 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment. 18 li

Executed at El Monte, California this

day of April, 1986.

K. D. Drachand, Chief Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

•					
Manufacturer _	Zimmer Motor Coach Corp		Executive Order No. A-237-6		
Engine Family	GZM2.6T6FXX6		Evaporative Family DZM2.6T6FXX3		
,		•	Engine CID (Liters) 159	(2.6)	
ABBREVIATIONS	•		•	•	
Ignition Syste	<u>n</u>	<u>Exhaust E</u>	missions Control System	<u>Special Featu</u>	
CA-Centrifugal EEC-Electronic EI-Electronic	Engine Control		njection-Pump njection-Valve Loop	CCV-Combustio Chamber CFI-Central Fi	

ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi

SSUED:042486

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

CFI-Central Fu-Injection DID-Diesel Injection Direct DIP-Diesel Injection Prechambe EFI-Electronic Fuel Injection MFI-Mechanical Fuel

Injection

TC-Turbocharge

PG. 1

VEHICLE MODELS:

(

(

ASTRON, Merchandiser, and Chief Executive.

ORIVE SYSTEM: FRONT (N-S) Engine/ FRONT -Wheel Drive

. <u>.</u>

	- 198(64	IR RESOL	JRCES BOA	RD SUPPLEMENT	E.O. AL DATA SHEET	'A-237-6	
Passenger Cars <u>x</u> Light-Duty Trucks <u>Medium-L</u> Manufacturer <u>Zimmer Motor Coach Corporation</u> Engine Family <u>GZM2.6T6FXX6</u> ECS (Special Features) <u>TWC-CL(MF1)</u>							
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System VA-CA-El Part No.	Fuel System MFI Part No.	EGR Valve NONE Part No.	Labe Ident Part
83A (2.6)	ASTRON MERCHANDISER CHIEF EXEC.	A-3	6500	ECU Bosch 0280 800 050	Fuel Pump Bosch 0580 254 984 Injectors Bosch 0437 502 010	N/A	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

- **-** -

• • •

*Add 10% to dyno test HP for air conditioning usage.

1 SSUED: 042486