State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-134 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)		
JNS3.OT5HCC3	JNS3.0T5HCC3 3.0 (180.6)		Exhaust Gas Recirculation Air Injection - Valve Dual Bed Catalyst Heated Oxygen Sensor (Central Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per mile		
0.50	9.0	1.0		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.28	4.0	0.6	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______ day of August, 1987.

K. D. Drachand, Chief Mobile Source Division

•		' '	
17.12.00 19 <u>88</u> AIR RESOURCES		Page 7_	
Manufacturer: NISSAN MOTOR CO.	. LTD. Engine Family: JNS3.0T5	HCC3_	
Evaporative Family: TBI-3	Engine Type: V-6, OHC		
ABBREVIATIONS	Liters (CID): 3.0 (180.	6)	
Ignition System	Exhaust Emission Control System	Special Features	
	AIP-Air Injection-Pump AIV-Air Injection-Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst System OS-Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical ECC-Electronic Control Carburetor ECCS-Electronic Concentrated Control System HOS-Heated Oxygen Sensor TWC-Three-Way Catalyst System WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection-Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger	
VEHICLE MODELS:			
Engine Code	Model Transm	ission	
AV30ICM5 NISSAN NISSAN NISSAN NISSAN	E V6 REGULAR BED 4X4 5-speed SE V6 REGULAR BED 4X4 SE V6 KING CAB 4X4	Manual	
Engine: Front X Mid. R	ear		
	WD Full Time 4WD Part Time	<u>X</u>	

Issue Date: 03/31/87 Revision Date:

17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 8

Page 8

Passenger Cars___Light-Duty Trucks_X_Medium-Duty Vehicles___Gas_X_Diesel_

Manufacturer: NISSAN MOTOR CO., LTD.

Engine Family: JNS3.0T5HCC3

Liter (CID): 3.0 (180.6)

Eng. Type: V-6, OHC

Emission Control Sys. (Special Features): TBI/EGR/AIV/TWC+OC/CL/ECCS

Code 	 Vehicle Models (If Coded see attachment) (Dyno Hp)	Туре	 Equiv. Test Weight 	(ECU)	Fuel System	 	! !
AV30 ICM5 BV30 ICM5	E V6 REGULAR BED 4X4 (14.5)	 M5 	 4000** 	D6P84-01 (HITACHI) T5T61372 (MITSUBISI) Control Unit	MECS-G425 Air Flow	EGR Valve AEY77-6 	D-xx,xK D-xx,xE D-xx,xE D-xx,xF

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**EIW of these models are between 4000 - 5999 lbs.

***The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 03/31/87

Revision Date: