

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-63  
Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Fuji Heavy Industries Ltd. emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LFJ2.2V5FCD4 Displacement: 2.2 Liters (135 inches<sup>3</sup>)

Equipped with the following exhaust emission control systems:

- Heated Oxygen Sensor
- Three-Way Catalysts (2)
- Multipoint Electronic Fuel Injection
- On-Board Diagnostics

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.39	7.0	0.4

The following are the certification emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.26	3.1	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 25<sup>th</sup> day of January, 1989.

  
K. D. Drachand, Chief  
Mobile Source Division

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A - 263 Page 1

Manufacturer Fuji Heavy Industries Ltd. Eng. Family LFJ2,2V5FCD4

Pass Cars  Lt-Duty Trucks  Med-duty Vehicles  Gas  Diesel

Eng. Type HO4 Liter (CID) 2.2 (135) Evap. Family HU

Emission Control Sys. (Use SAE Abbrv.) HO2S, TWC(2), (MPI, OBD)

Engine: Front  Mid.  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
L2.2V5CDM (0.41/7.0/0.4)	BC6 (-)	M-5	3000	6.3	Electronic Control Unit: Fuji's Part No. 22611AA563 (R/C#90-10) or 22611AA562	None	Fuji's Part No. Front: 20805AA340 Rear: 20805AA380
	BC6 (L)			6.7			
	BJ6 (-)		3125	6.3			
	BJ6 (L)			6.7			
	BF6 (L)			6.9			
	BC7 (L)		3250	7.3			
	BJ7 (L)			6.9			
	BF7 (L)		3375	7.3			
				7.1			
				7.5			
		7.9					
		8.2					
		8.5					
		8.8					
		8.9					
		9.1					

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).

Date of Issue: December 5, 1988

Revisions: 055-1/20/'89 by R/C #90-2  
 008-5/31/'89 by R/C #90-5  
 011-6/22/'89 by R/C #90-6  
 012-6/23/'89 by R/C #90-7  
 013-9/1/'89 by R/C #90-8  
 016-10/19/'89 by R/C #90-10

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # A - 2 - 63 Page 2

Manufacturer Fuji Heavy Industries Ltd. Eng. Family LFJ2.2V5FCD4

Pass Cars  Lt-Duty Trucks \_\_\_\_\_ Med-duty Vehicles \_\_\_\_\_ Gas  Diesel \_\_\_\_\_

Eng. Type HO4 Liter (CID) 2.2 (135) Evap. Family HU

Emission Control Sys. (Use SAE Abbrv.) HO2S, TWC(2), (MPI, OBD)

Engine: Front  Mid. \_\_\_\_\_ Rear \_\_\_\_\_ Drive: FWD  RWD \_\_\_\_\_ 4WD-FT  4WD-PT \_\_\_\_\_

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
L2.2V5CDMA (0.41/7.0/0.4)	BC6 (-)	M-5	3125	6.9	Electronic Control Unit: Fuji's Part No. 22611AA563 (R/C#90-10) OR 22611AA562	None	Fuji's Part No. Front: 20805AA340 Rear: 20805AA380
	BC6 (L)			7.4			
	BC6 (LS-D)			6.9			
	BC6 (LS)			7.4			
	BJ6 (-)			6.9			
	BJ6 (L)			7.4			
	BJ6 (LS)			6.9			
	BJ6 (LS-D)			7.4			
	BF6 (L)			7.6			
	BF6 (LS)			8.0			
	BF6 (LS-D)	7.6					
	BC7 (L)	8.0					
	BC7 (LS)	7.6					
	BC7 (LS-D)	8.0					
	BJ7 (L)	7.8					
	BF7 (L)	8.3					
	BJ7 (LS)	7.8					
	BJ7 (LS-D)	8.3					
	BF7 (LS)	8.7					
	BF7 (LS-D)	9.0					
			3250 (3125)*				
			3250				
			3375				
			3500				

\*The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).

Date of Issue: December 5, 1988

Revisions: 055-1/20/'89 by R/C #90-2  
 008-5/31/'89 by R/C #90-5  
 011-6/22/'89 by R/C #90-6  
 012-6/23/'89 by R/C #90-7  
 013-9/1/'89 by R/C #90-8  
 016-10/19/'89 by R/C #90-10

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A - 2 - 63 Page 3Manufacturer Fuji Heavy Industries Ltd. Eng. Family LFJ2.2V5FCD4Pass Cars  Lt-Duty Trucks  Med-duty Vehicles  Gas  Diesel Eng. Type HO4 Liter (CID) 2.2 (135) Evap. Family HUEmission Control Sys. (Use SAE Abbrev.) HO2S, TWC(2), (MPI, OBD)Engine: Front  Mid.  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT 

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
L2.2V5CDA (0.41/7.0/0.4)	BC6 (-)	A-4	3125	5.9	Electronic Control Unit: Fuji's Part No. 22611AA383 (R/C#90-10) or 22611AA382	None	Fuji's Part No. Front: 20805AA340 Rear: 20805AA380
	BC6 (L)			6.3			
	BJ6 (-)			5.9			
	BJ6 (L)			6.3			
	BF6 (L)		3250	6.5			
	BC7 (L)			6.9			
	BJ7 (L)			6.5			
	BF7 (L)			6.9			
			3375 (3250)#	6.7			
				7.1			
	7.6						
	3375	7.8					
		8.0					
		8.3					
		8.5					
		8.7					

\*The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).

Date of Issue: December 5, 1988

Revisions: 055-1/20/'89 by R/C #90-2  
008-5/31/'89 by R/C #90-5  
011-6/22/'89 by R/C #90-6  
012-6/23/'89 by R/C #90-7  
013-9/1/'89 by R/C #90-8  
016-10/19/'89 by R/C #90-10

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-2-63 Page 4

Manufacturer Fuji Heavy Industries Ltd. Eng. Family LFJ2.2V5FCD4Pass Cars  Lt-Duty Trucks \_\_\_\_\_ Med-duty Vehicles \_\_\_\_\_ Gas  Diesel \_\_\_\_\_Eng. Type HO4 Liter (CID) 2.2 (135) Evap. Family HUEmission Control Sys. (Use SAE Abbrv.) HO2S, TWC(2), (MPI, OBD)Engine: Front  Mid. \_\_\_\_\_ Rear \_\_\_\_\_ Drive: FWD  RWD \_\_\_\_\_ 4WD-PT  4WD-PT \_\_\_\_\_

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
L2.2V5CDA (0.41/7.0/0.4)	BC6 (-)	A-4	3250 (3125)†	6.5	Electronic Control Unit: Fuji's Part No. 22611AA383 (R/C#90-10) OR 22611AA382	None	Fuji's Part No. Front: 20805AA340 Rear: 20805AA380
	BC6 (L)		6.9				
	BC6 (LS)		3250	6.5			
	BC6 (LS-D)		6.9				
	BJ6 (-)		6.5				
	BJ6 (L)		6.9				
	BJ6 (LS)		6.5				
	BJ6 (LS-D)		6.9				
	BF6 (L)		3375	7.2			
	BF6 (LS)		7.6				
	BF6 (LS-D)		7.2				
	BC7 (L)		7.6				
	BC7 (LS-D)		7.2				
	BC7 (LS)		7.6				
	BJ7 (L)		7.4				
	BJ7 (LS-D)		7.8				
	BF7 (L)		7.4				
	BJ7 (LS)		7.8				
	BF7 (LS)		7.4				
	BF7 (LS-D)		7.8				
			3500	8.4			
			8.6				
			8.4				
	8.4						
	8.8						
	9.1						
	8.8						
	9.4						
	9.6						
	3625 (3500)†	8.8					
	9.4						

†The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).

Date of Issue: December 5, 1988Revisions: 055-1/20/'89 by R/C #90-2  
008-5/31/'89 by R/C #90-5  
011-6/22/'89 by R/C #90-6  
012-6/23/'89 by R/C #90-7  
013-9/1/'89 by R/C #90-8  
016-10/19/'89 by R/C #90-10

Vehicle Models

Engine Family LFJ2.2V5FCD4

- BC6: LEGACY 4-door Sedan
- BC7: LEGACY 4-door Sedan 4WD
- BJ6: LEGACY Station Wagon
- BJ7: LEGACY Station Wagon 4WD
- BJB: LEGACY Station Wagon 4WD

SUPERSEDED