(Page 1 of 2)

Palo

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-273-19 Relating to Certification of New Motor Vehicles

## AUTOMOBILI LAMBORGHINI S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Automobili Lamborghini S.p.A. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: XNLXV05.7DB8 Displacement: 5.7 Liters (348 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection Dual Heated Oxygen Sensors (two) Dual Warm Up Three Way Catalytic Converters Dual Three Way Catalytic Converters

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxíde (20°F)</u>	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31	4.2	0.6	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
50,000	0.14	1.3	0.2	5.7	
100,000	0.17	1.8	0.2	n/a	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

ao(l)

R. B. Summerfield, Chief

Mobile Source Operations Division

E.O. # A-273-19

## 1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 1

Manufacturer:	LAMBORGHINI,	SpA	Exh Eng 1	am: XNI	XV05.7DB8	Evap Fam:XN	ILXE0130DBE	
All Engine Co	des in Engine Far	niliy: (	CA 49S_	50s	XX AB965 ,	ORVR: Y	ES NO V	
Exh Std: CA	Tier-1 XX TLEV	/	LEV	ULEV	SULEV	. US EP	A Tier-1 XX	
Exh Std: CA Tier-1 XX TLEV LEV ULEV SULEV, US EPA Tier-1 XX  Ven Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5								
Single Cert S	td for Multi-Clas	s Eng Fa	m: N/A (s	pecify:	N/A, LDT1,	MDV1, MDV2.	MDV3, MDV4)	
Fuel Type(s):	Dedicated <u>XX</u> F	lex-Fuel	Dual	-Fuel_	Bi-Fuel	_ Gasoline_	X_ Diesel	
Fuel Type(s): Dedicated XX Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel CNG LNG LPG M85 Other (specify)								
Exh Emiss Tes								
Exh Emiss Test Fuel(s): IndoXX CBG CNG LPG M85 Other (specify)  Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94								
Evaporative E	mission Test Proc							
Service Accum	: Std AMA M	od AMA	Mfr	ADP	Other (spec	ify) ADI	?	
NMOG Test Prod	cedure: N/A X	Std	Equiv_	R	L/L Test Proc:	SHEDF	ot Source_X	
Engine Configu	uration: V-12	Displace	ment:	/ 5.	7_Liters	/ 348 c	Cubic Inches	
	linder: 4							
Engine: Front	Mid XX R	ear	Drive	: FWD_	RWD	4WD-FT	4WD-PT_XX_	
	g., MFI, EGR, T		SFI, 2H	02S(2)	, 2WUTWC, 2	TWC		
			(us	e abbre	viations per	SAE J1930 JU	M93)	
_ne Code	Vehicle Models	Trans.	ETW	DPA		EGR		
(also list )	(if coded see attachment)	(M5, A4	Togt Wt	Or	(ECM/PCM)	System	Converter	
	a o ca o i i i i i i i i i i i i i i i i i i		1	KLRP	PAPE NO.	Part No.	Pare No.	
ENG 98	DB132/144	M_5	4000	110 0	 		132-44-	
L522-V	Diablo	1 11-5		10.0	001195	!	31149	
(50 5-)			! <b>i</b> }	)   	; ;			
(50 ST)			1    -		(ECM)	i i	<u> </u>	
					1	<u> </u>		
1		,				i !	<u> </u>	
						į		
						i !	1 1	
				·				
1	ļ	İ				 	 	
į			ļ				] ] [	
j		:		,			i i	
į				į			! !	
i	ļ			:				
	ļ			i ! !				
	]		ļ	 				
		; ;	1		i			
<b>.</b> •	! !			į	į			
			<u></u>					