

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following equipment produced by the manufacturer is certified as described below. Production equipment shall be in all material respects the same as those for which certification is granted.

ENGINE DESCRIPTION			
MANUFACTURER	ENGINE FAMILY (E.O. NUMBER)	ENGINE SIZE (cc)	FUEL TYPE (CNG/LNG=compressed/liquefied natural gas LPG=liquefied petroleum gas)
Chongqing Dajiang Power Equipment Co., Ltd	NCDPS.7602DJ (U-U-105-0431) PCDPS.7602DJ (U-U-105-0497)	678, 713, 760	Gasoline
S.A. = See Attachment TBC = To Be Certified			
EQUIPMENT DESCRIPTION			
MODEL YEAR	EVAPORATIVE FAMILY	FUEL TANK NOMINAL CAPACITY (liters)	EQUIPMENT APPLICATION
2023	CDPCM27602	See Attachment	Brushcutter, Compressor, Pump, Pressure Washer, Generator Set, Tiller, Edger, Walk-Behind Mower
EMISSION CONTROL SYSTEMS (ECS)		ENGINE and/or EQUIPMENT MODEL	
Canister/Metal		See Attachment	
<small>A. ECS TYPE (Venting Control Type/Tank Barrier Type): 1. Venting Control Type and Code:- Canister=C Sealed Tank=S Other=O 2. Tank Barrier Type and Code:- Metal=M Treated HDPE or PE=P Co-extruded=C Selar=L Nylon=N Acetal=A Other=O B. EVAPORATIVE FAMILY 2-Letter CODE (Venting Control Codes =C, S, O); (Tank Barrier Codes = M, P, C, L, N, A, O). Note: Always list venting control type or code first before tank barrier type or code. Do not use abbreviations for ECS types.</small>			

The following are the evaporative emission standards (Title 13, California Code of Regulations, 13 CCR Section 2754, as applicable), and certification levels in g organic material hydrocarbon equivalent·day⁻¹ or g ROG·m⁻²·day⁻¹ or grams per liter for this evaporative family or the component Executive Order, as applicable. The running loss emissions control has been demonstrated by the manufacturer.

DIURNAL EMISSION STANDARD (g organic material hydrocarbon equivalent·day ⁻¹)					
1.20 + 0.056 × Nominal Capacity (L)					
FUEL LINE PERMEATION (g ROG·m ⁻² ·day ⁻¹)		FUEL TANK PERMEATION (g ROG·m ⁻² ·day ⁻¹)		CARBON CANISTER BUTANE WORKING CAPACITY (grams per liter)	
STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER	STANDARD	CERTIFICATION LEVEL OR EXECUTIVE ORDER
15	See Attachment	1.5	See Attachment	1.4	See Attachment

BE IT FURTHER RESOLVED: That for the listed equipment, the manufacturer has submitted, and the Executive Officer hereby approves, the information and materials to demonstrate certification compliance with 13 CCR Section 2759 (labeling), Section 2774 (bond requirements) and 13 CCR Sections 2760 and 2764 (emission control system warranty).

Equipment certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the evaporative family and model-year listed above. Equipment in this family that is produced for any other model-year is not covered by this Executive Order.

Executed on this 6th day of July 2022.



Allen Lyons, Chief
Emissions Certification and Compliance Division

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	30.7	25	0.69	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-22-018(29.77L) Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L) Q-18-015A(26.5L) Q-18-016A(31L) Q-18-017A(51L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	35.97	30	0.732	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	31.58	25	0.692	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-22-018(29.77L) Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L) Q-18-015A(26.5L) Q-18-016A(31L) Q-18-017A(51L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	34.4	30	0.714	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078;	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L)

Date: __March 24, 2022__
 Evaporative Family: __CDPCM27602__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	30	25	0.691	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-22-018(29.77L) Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L) Q-18-015A(26.5L) Q-18-016A(31L) Q-18-017A(51L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	35.27	30	0.733	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078;	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	32.22	25	0.663	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-22-018(29.77L) Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L) Q-18-015A(26.5L) Q-18-016A(31L) Q-18-017A(51L)

Date: __March 24, 2022_____
 Evaporative Family: __CDPCM27602____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	28.33	25	0.669	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-22-018(29.77L) Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L) Q-18-015A(26.5L) Q-18-016A(31L) Q-18-017A(51L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	30	25	0.716	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-22-018(29.77L) Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L) Q-18-015A(26.5L) Q-18-016A(31L) Q-18-017A(51L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	34.08	31	0.702	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.40L) Q-22-020(51.09L) Q-22-026(50.24L) Q-22-030(34.14L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	35	30	0.761	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L)

Date: __March 24, 2022_____
 Evaporative Family: __CDPCM27602____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	27	26	0.738	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-22-018(29.77L) Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	32.08	25	0.617	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-22-018(29.77L) Q-22-019(33.40L) Q-22-020(51.09L) Q-22-023(30L) Q-22-026(50.24L) Q-22-029(30.10L) Q-22-030(34.14L) Q-18-015A(26.5L) Q-18-016A(31L) Q-18-017A(51L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	43	40	1.013	Multilayer	L=170±76 or L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	45	40	0.703	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-0078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	45	42	0.93	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-19-0078	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-020(51.09L) Q-22-026(50.24L)

Date: __March 24, 2022__
 Evaporative Family: __CDPCM27602__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	16.00	15.00	0.549182	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	16.00	15.00	0.4989547	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	17.00	15.00	0.615934	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____

Attachment __ 6 of 45 __

Evaporative Family: __ CDPCM27602 _____

RC1: 4-7-23

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	16.00	15.00	0.5039668	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	16.00	15.00	0.5432967	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	18.50	15.00	0.4979942	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __March 24, 2022_____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	16.00	15.00	0.4541944	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	16.00	15.00	0.5633945	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	18.00	16.00	0.4396061	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __ CDPCM27602 _____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	18.00	16.00	0.5283093	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	19.00	16.00	0.4881199	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	20.00	17.00	0.429851	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __ CDPCM27602 _____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	19.00	17.00	0.4697569	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	18.00	17.00	0.5120553	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	18.00	17.00	0.61837	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __March 24, 2022__
 Evaporative Family: __CDPCM27602__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	21.50	18.00	0.5951123	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	20.50	18.00	0.4264737	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	21.00	18.00	0.4878532	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __March 24, 2022_____
 Evaporative Family: __CDPCM27602____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	21.00	19.00	0.511417	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	25.00	19.00	0.6034322	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	22.00	19.00	0.5354489	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	20.16	19.00	0.6135852	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	22.90	19.40	0.562792	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-027(20.01L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	23.00	20.00	0.6147093	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____

Evaporative Family: __CDPCM27602____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	25.00	20.00	0.4892002	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	20.70	20.00	0.5170595	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	22.00	20.00	0.4621603	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	25.50	21.50	0.6265436	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	27.10	21.80	0.7189202	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	23.80	22.10	0.7683866	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __March 24, 2022__
 Evaporative Family: __CDPCM27602__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	25.70	22.10	0.6480348	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	28.00	23.00	0.76527442	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	26.00	23.60	0.68856114	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	27.50	23.70	0.453337	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	29.00	24.00	0.69534908	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	25.00	24.00	0.713625	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	26.00	25.00	0.6596135	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	27.00	25.00	0.6638947	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	28.00	25.00	0.767094	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __ CDPCM27602 _____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	29.00	25.00	0.60212092	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	26.00	25.00	0.689179	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	27.00	25.00	0.62454498	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __ CDPCM27602 _____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	27.70	25.20	0.58784565	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	29.00	25.50	0.60175859	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	27.40	25.90	0.64082254	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __ CDPCM27602 _____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	31.60	26.00	0.62105908	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	29.20	26.00	0.9114412	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	30.00	26.00	0.5810423	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022 _____
 Evaporative Family: __ CDPCM27602 _____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	30.00	26.00	0.68123867	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	28.00	26.20	0.63600404	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	31.00	26.60	0.68097795	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022
 Evaporative Family: __CDPCM27602__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	28.50	26.70	0.6653	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	29.50	26.80	0.6871229	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	30.00	27.00	0.64849865	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	31.00	27.00	0.78534157	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	30.20	27.00	0.7268384	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	31.30	27.10	0.6565911	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __March 24, 2022_____
 Evaporative Family: __CDPCM27602____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	30.50	28.00	0.7289121	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	30.00	28.00	0.76938657	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	31.00	28.00	0.68498478	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022 _____
 Evaporative Family: __ CDPCM27602 _____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	29.00	28.00	0.6824623	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	32.50	28.50	0.64409299	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	30.00	29.00	0.70341233	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	30.00	29.00	0.605	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	35.00	29.00	0.71	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	35.00	29.00	0.71	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	31.50	29.50	0.6717573	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L) Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	32.00	30.00	0.81448978	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	33.00	30.00	0.64531122	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __March 24, 2022_____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m^2)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	33.00	30.00	0.87260174	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	35.50	30.00	0.7382073	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	32.00	30.00	0.4661182	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __March 24, 2022_____
 Evaporative Family: __CDPCM27602____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	35.00	30.00	0.7475496	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	32.00	30.00	0.68317654	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	32.30	30.00	0.77507642	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022 _____
 Evaporative Family: __ CDPCM27602 _____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	32.00	30.00	0.668076	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	32.00	31.00	0.873099	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	34.00	32.00	0.80238978	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022
 Evaporative Family: __CDPCM27602__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	34.00	32.40	0.72457581	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	37.12	33.40	0.74934915	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	37.00	34.00	0.74869283	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	36.00	34.00	0.75095636	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	35.80	35.00	0.81137701	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	37.00	35.00	0.76495696	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	38.20	35.10	0.67412201	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	41.80	35.40	0.68317654	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	38.00	36.00	0.85948228	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	40.50	37.00	0.83295137	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	41.50	37.40	0.777723	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	39.00	37.50	0.8208095	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	42.00	38.00	0.92987648	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	39.80	38.00	0.7855	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	43.00	38.20	0.7029328	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	40.00	39.00	0.758336	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	46.00	40.00	0.94660573	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	42.00	41.00	0.748	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	42.50	41.00	0.84297414	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	45.00	43.00	0.94240988	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	47.00	43.00	0.973788	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	48.00	44.00	0.479881	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __March 24, 2022_____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
X	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	57.00	51.00	1.69856276	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-050	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-017A(51L) Q-22-020(51.09L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	18.00	15.00	0.4957196	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	19.25	15.00	0.485814	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	19.25	15.00	0.485988	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	18.00	15.00	0.5157196	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	17.55	15.00	0.477792	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	17.67	15.00	0.480663	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	16.00	15.00	0.480824	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	16.81	15.00	0.475486	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	16.00	15.00	0.482039	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	17.50	15.00	0.48184	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	16.00	15.00	0.464439	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __March 24, 2022_____
 Evaporative Family: __CDPCM27602____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	18.00	15.00	0.485988	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	18.00	15.00	0.497994	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	18.00	15.00	0.557497	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-028(16.04L) Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	18.00	16.00	0.5283099	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-015(16.37L) Q-18-014A(18L) Q-22-025(18.08L) Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __ CDPCM27602 _____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	22.00	19.00	0.5634133	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	21.54	19.00	0.563413	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	21.52	19.00	0.525087	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	22.00	19.00	0.534128	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-016(19.23L) Q-22-027(20.01L) Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	25.00	20.00	0.5927657	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022
 Evaporative Family: __CDPCM27602__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	25.00	20.00	0.571055	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	22.00	20.00	0.535449	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	24.00	20.00	0.620269	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	24.00	21.00	0.630269	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	30.70	25.00	0.689625	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	30.00	25.00	0.689015	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	31.00	25.00	0.691645	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	31.00	25.00	0.691358	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	32.22	25.00	0.66326	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	27.86	25.00	0.669143	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022 _____
 Evaporative Family: __ CDPCM27602 _____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	30.00	25.00	0.71578	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	28.64	25.00	0.666663	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	28.00	25.00	0.659542	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	32.08	25.00	0.61737	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	28.00	25.00	0.684071	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)

Date: __ March 24, 2022
 Evaporative Family: __CDPCM27602__

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	27.00	26.00	0.7382072	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-017(26.46L) Q-18-015A(26.5L) Q-22-018(29.77L) Q-22-023(30L) Q-22-029(30.1L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	34.07	30.00	0.728465	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	34.40	30.00	0.714246	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	35.27	30.00	0.733123	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	35.00	30.00	0.760549	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	34.05	30.00	0.7382073	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	34.00	30.00	0.685284	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-016A(31L) Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	33.50	31.00	0.70273	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	33.60	31.00	0.698611	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	34.00	32.00	0.7245758	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022 _____
 Evaporative Family: __ CDPCM27602 _____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	34.00	32.00	0.802389	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	36.00	32.00	0.8455580	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-019(33.4L) Q-22-030(34.15L) Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	41.18	36.00	0.8587977	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	41.70	36.00	0.8787817	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	42.85	36.00	0.8504900	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	40.00	36.00	0.876866	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/ DHT720E/FET720/T720/DHT680E/ DHT680/FET680/T680		X	II	CARB	40.00	36.00	0.855832	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)

Date: __ March 24, 2022 _____
 Evaporative Family: __CDPCM27602_____

Model Summary

S1. Worst Case (Check One)	S2. Model	S3. Sales Codes (Check all appropriate)		S4. Engine Class (I or II)	S5. Fuel System (FI or CARB)	S6. Fuel Tank Volume (Liters)		S7. Fuel Tank Internal Surface Area (m ²)	S8. Fuel Line Type (e.g. Single or Multi-Layer)	S9. Nominal Fuel Line Length (mm)	S10. Fuel Line Inside Diameter (mm)	S11. Engine Family	S12. Fuel Tank Executive Order	S13. Fuel Line Executive Order	S14. Carbon Canister (or Working Capacity (g/L)/ Other Venting Control Executive Order)
		Calif. Only	50-State			Total	Nominal								
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	42.00	38.00	0.9298765	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	40.50	38.00	0.8329514	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-22-047(38.62L) Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	45.00	40.00	0.9335648	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	43.00	40.00	1.012504	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)
	DHT760E/FET760E/T760/DHT720/DHT720E/FET720/T720/DHT680E/DHT680/FET680/T680		X	II	CARB	43.60	40.00	0.8425	Multilayer	L=(320+290+430)±76	Φ3.5 or greater Φ4.5 or greater	NCDPS.7602DJ PCDPS.7602DJ	Q-22-054	Q-22-032 Q-22-033 Q-18-031B Q-18-030B	Q-18-017A(51L) Q-22-020(51.09L) Q-22-026(50.24L)