State of California AIR RESOURCES BOARD

EXECUTIVE ORDER M-2-381 Relating to Certification of New Motorcycles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following engine and exhaust emission control systems produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

Model Year: 2001

Engine Family	Displacement Cubic Centimeters	Class	Exhaust Emission Control Systems & Special Features
1HNXC01.5CBB	1520	III	Pulsed Secondary Air Injection

Vehicle models and transmissions are listed on the attachment. Production motorcycles shall be in all material respects the same as those for which certification is granted.

The following are the exhaust emission standards and exhaust certification emission values for this engine family. The designated hydrocarbons standard shall be listed on the permanent tune-up label:

Hydrocarbons S	Standards	Hydrocarbons	Carbon	Monoxide
(Corporate Average) Grams per Kilometer	(Designated) Grams per Kilometer	(Ćertification) Grams per Kilometer	(Standard) Grams per <u>Kilometer</u>	(Certification) Grams per Kilometer
1.4	1.4	1.0	12	9

BE IT FURTHER RESOLVED: That the above-described certification is subject to the following terms, limitations and conditions:

The above designated hydrocarbons standard shall be the exhaust limit for this engine family during the model year and therefore cannot be redesignated by the manufacturer. It represents the hydrocarbons exhaust emission standard applicable to this engine family that shall be applied when determining compliance of any motorcycle within this engine family pursuant to Section 2101 of Title 13, California Code of Regulations. It will also be used to determine compliance with the above corporate average hydrocarbons standard as required per Section 1958(b), Title 13 of the California Code of Regulations.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 2001 and Subsequent Model Motor Vehicles," as required by Section 1976, Title 13 of the California Code of Regulations.

BE IT FURTHER RESOLVED: That these motorcycles are found exempt from compliance with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this _&

day of June 2000.

R. B. Summerfield, Chief

Mobile Source Operations Division

ATTACHMENT

2001 HONDA Motorcycle

E.O.#: M-2-381 Section: 7 Page:6

Issued: 2000/01/21

Revised:

Engine Family: 1HNXC01.5CBB

Motorcycle Model Summary Form

65. Model Designation	66. Worst Case	67. Disp. (cc)	68. Bore / Stroke (mm)	69. Basic Ignition Timing (degrees)	70. Power (kW)	71. Rated Speed (RPM)	72. Rated Torque (Nm)	73. Rated Speed (RRM)
GL1500C		1520	71.0 / 64.0	3.5 (BTDC)	74.6	6000	137.3	4500
GL1500CD	Х	1520	71.0 / 64.0	3.5 (BTDC)	74.6	6000	137.3	4500

65. Model Designation	74. EIM (kg)	75. Loaded Vehicle Weight Range (kg)	76. Road Load (nt)	77. Total Vehicle Mass (kg)	78. Full Weight with All Factory Options (kg)	79. Trans. Type	80. N/V
GL1500C	440	436 - 445	163.7	445	445	M5	30.1
GL1500CD	440	436 - 445	163.7	445	445	M5	30.1
				12.10			

E·O·昔: M-2-38/ Section: 7 Page:1 Issued: 2000/01/21

Revised:

Motorcycle Engine Family Information Form

11			
on, address, phon	e, and	fax:	
, Inc. Mail Stop rance CA 90501-27	500-2C-	-8A	com
		10. Displacement (cc): 15	20
r/c, f/f, etc.)		11. Number of Cylinder:	6
		12. Cylinder Arrangement	:: Flat-6/Opposed
		13. Cylinder Head Confid	ruration: OHV/OHC
1		14. Type of Cooling: Lic	quid Cooled
PAIR		15. Combustion Cycle: Of	to
		16. Method of Aspiration	: Natural
		17 Diel System: Carbine	tors
		17. ruer System: Carbine	COLS
DNFIDENTI	AL	18. Number of Catalytic	Converters: N/A
lence or reference	е		
instable Parma	T	amper Resistance Method	Method Approve
(or N/A)	1	(or N/A)	
Not Limited	Rec	ess "D" shaped head that quires a special tool	Approved by EPA of 09/03/91
trol System:			
trol System:		Evaporative System	
trol System:			
trol System:		AECDs In System:	
trol System:			
trol System:		AECDs In System:	
trol System:		AECDs In System:	
trol System:	-	AECDs In System:	
trol System:		AECDs In System:	
trol System:		AECDs In System:	
trol System:		AECDs In System:	
trol System:		AECDs In System:	
	rance CA 90501-27 Fax: (310)783-35 r/c, f/f, etc.) BB 1 PAIR (g/km): N/A HC HC+NOX ONFIDENTI No Mence or reference justable Range (or N/A)	The Mail Stop 500-2C- rance CA 90501-2746 Fax: (310)783-3510 E-Mail r/c, f/f, etc.) BB 1 PAIR (g/km): N/A HC 1.4 HC+NOX ONFIDENTIAL No Mence or reference justable Range (or N/A) Rec	Fax: (310)783-3510 E-Mail: Julie_Peck@ahm.horda. 10. Displacement (cc): 15 11. Number of Cylinder: 12. Cylinder Arrangement 13. Cylinder Head Config 14. Type of Cooling: Lic 15. Combustion Cycle: Of 16. Method of Aspiration 17. Fuel System: Carbure 18. Number of Catalytic 19. System: Carbure 19. System: Carbure

E. O. #: M-2-381 Section: 7 Page:4 Issued: 2000/01/21

Revised:

Engine Family: 1HNXC01.5CBB

Motorcycle	Test	Information	Form	0.2
				_

27.	Are vou	carrying	over tes	results	from a	previously	certified	family?	Yes		
-----	---------	----------	----------	---------	--------	------------	-----------	---------	-----	--	--

a) If yes, indicate family name: VHN1.5POGORA

b) Is the family being certified identical to the family from which the data is being carried over?

Yes

28. Model Designation of Test Vehicle: GL1500CT

29. Test Information Number: V02

30. Vehicle ID: 97ED-01

31. Service Accumulation Duration (km): 15013

32. Maximum Rated Power (kW @ RPM): 74.6 @ 6000

33. Displacement (cc): 1520

34. Certification Fuel: Indolene

35. Test Data Set: 1

36. Road Load(nt): 163.7

37. Inertia Mass (kg): 440

38. N/V: 30.1

39. Evap Bench Test Method Approval:

Data: March 9, 1983

Reference: 17.01.01-1(ARB) & 17.01.02-2(ARB) thru 17.01.02-12(ARB) in 1999 Model Year Application

40. Unscheduled Maintenance: ☐ Yes No

41. If yes Vehicle Log Provided: N/A

42. Exhaust Emission Deterioration Factor

			Emission	Values	
Test Number	System Kilometers	HC	00	NOx	HC+NOx
1	3528	0.94	8.5		
2	6379	1.01	8.3		
3	6409	0.90	8.6		
4	9755	0.95	8.4		recent.
5	12800	1.09	8.9		
6	12830	0.91	8.4		
7	15013	0.93	8.7		1
Interpolate	d Values at 15,000 kg	n:	HC = 0.9738 $HC+NOx =$	$\infty = 8.6$	5636
D-d-molato	d Walling at 30,000 kg	n:	HC = 1.0078	CD = 8.9	9946

Regular DF	X
Modified DF	
If Different Specify Veh	Vehicle

43. Emission Test Results:

Official Test Results		Test 1	Test 2	Test 3	Test 4
g/km	8	8.7			
g/km	Φ,	140.3			
g/km	HC	0.93			
g/km	NOx				
g/km	HC+NOx				
g/km	Evap.	0.71			

HC+NOx =

Deterioration Factors	n
1.038	
1.035	
	_
0.2	

44. Certification Levels:

g/km	8	(9)	
g/km	HC	(1.0)	
g/km	HC+NOx		
g/test	Evap.	0.9	

Application Processed by: Joseph Tegode Date: 6/7/2000 Reviewed by: 1/1/2000 Jate: 6/8/00