## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-30-110 Relating to Certification of New Motor Vehicles

## AUDI AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Audi AG exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: VAD2.8V8GKGM <u>Displacement</u>: 2.8 Liters (169 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Dual Three Way Catalytic Converters Dual Heated Oxygen Sensors (Two) Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Mile	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Mile	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
50,000	0.14	1.5	0.1	3.2	
100.000	0.14	1.6	0.1	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_\_\_ day of August 1996.

R) B. Summerfield

Assistant Division Chief Mobile Source Division

## PAGE NO. 16.SS. -01 E.O.# A-30-110 1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 1 of 1 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDUM-DUTY VEHICLES

			note n	. 173	175 DO 0119 CVC	M Evan Fam:	VAD1060BYPAV
Manufacturer:	AUDI AG		EXN ENG	ram:	VADZ. 6V6GAG	Back	7. m. 20 0 0 0 0 0 0 0 1 1 1 1 1
All Eng Codes	in Eng Fam: (		49S		50S_X_ A		DA Tior-1 V
Exh Std: CA	Tier-1 <u>X</u> TL	ΣV	LEV	U	LEVZEV	, US E	PA TIEL-I_A
Evap Std: 50K	X Useful Li	fe with	R/L	_ In-1	use Exh Std:	Full in Use X	ALC IN USE
Veh Class(es)	: PC_X LDT1_	LDT2	N	ADVI_	_ MDV2	MDV3 MDV	4P
Single Cert S	td for Multi-Cla	ass Eng	Fam: N/	<u>/A</u> (sp	ecify: N/A, I	DT1, MDV1, MDV	2, MDV3, MDV4)
<pre>Fuel Type(s):</pre>	Dedicated X	Flex-Fue	1 I	Oual-F	uel Bi-Fue	dasoline	X Diesel
	CNGLNG	LPG	M85	_ Oth	er (specify)_		
Emiss Test Fu	el(s): Indo X	Ph2	CNG	LPG	_ M85 Othe	er (specify)	
	Diesel:	13 CCR	2282	_ 4	0 CFR 86.113-	-90 40 CE	R 86.113-94
Service Accum	: Std AMA X	Mod AN	1/A.	Mfr A	DP Other	(specify)	
NMOG Test Pro	cedure: N/A X	Std	Eq	uiv	R/L Test	Proc: SHED	Pt Source
Hubrid: Type	ABC,	APU C	/cle (e	.g., 0	tto, Diesel,	Turbine)	
Engine Confid	. V6	Displace	ement:	2	.8 _ Liter	s <u>169</u>	_ Cubic Inches
Valves per Cy		-	•		Rated H	e: <u>172</u> @_	5500 RPM
Fraire: From	t X Mid.	Rear		Drive:	FWD X RV	VD 4WD-FT	4WD-PT
Empire: From	eg., EGR, MFI,	TC. CAC.	 . etc.)		SFT / 2TWC /	2HO2S(2) / EGF	₹
Exhaust Ecs (	eg., bor, rar,	10, 410,	,,	(บ	se abbreviat:	ons per SAE 19	30 SEP91)
		I	7177	DPA	Ignition	EGR	Catalytic
Engine Code	Vehicles Models (if codded see	Trans.	ETW or	or	(ECM/PCM)	System	
		A-auto	Test	RLHP	Part No.	Part No.	Part No.
		M-man.	WT		· · · · · · · · · · · · · · · · · · ·		
AFCVE	Cabriolet	L4	3675	7.5	8DO 906 266 B	078 191 503 /	3G0 178 A and
			ĺ			054 131 501	8G0 178 B
		1					
	!	}					
				I		<u> </u>	
Date Issued:	03-20-96						

Revisions: